



**EVERIGHT DIAGNOSTIC & LABORATORY SERVICES LTD.**

**Head Office: Abuja**  
 info@everightlab.com  
 07044210717 / 08155515100

<b>Name:</b> OKWOR STANLEY FRIDAY	<b>Gender:</b> Male
<b>Phone Number:</b> 08038970613	<b>Age:</b> 42 Years
	<b>Date of Birth:</b> 24 Feb 1979

REPORT OF COVID-19 RT-PCR TEST RESULT		
<b>Specimen Type:</b>	Nasopharyngeal swab/oropharyngeal swab	<b>Certificate Number:</b> 3840037871
<b>Sample Collection Date:</b>	22 / 05 / 2021 16:22	<b>Passport No:</b> A10816273
<b>Date of Result:</b>	22 / 05 / 2021	<b>Result:</b> <b>NEGATIVE</b>

For further validation of this result, Please scan the QR code below



**(Administrative purposes ONLY)**  
 This result is validated by:

**Mrs. Nwando Mba**  
 Director of Laboratory Services, NCDC

**Disclaimer**

This result is valid as at the date of sample collection

Interpretation of the results is not a diagnosis; diagnostic conclusion is performed by the patient's treating clinician. The laboratory is not responsible for the consequences of self-interpretation of the results of the patient. The results obtained are applicable to the specific test sample. A time frame for getting the laboratory test results to identify the RNA virus COVID-19 (SARS-CoV-2) in nasopharyngeal and oropharyngeal swabs is within 2 to 3 days.

**"Please note that persons who present with fake COVID-19 results or impersonate the owners of valid COVID-19 results are liable to prosecution"**  
 Hotline: 6232 resultverification@ncdc.gov.ng