

Name: ABBAS SEDAGHAT
Passport Number: M54995046

Date of Birth: 27/08/1954
Age: 66

مراجعه کننده:

Date of Sample : April 04, 2021

8:00 p.m

-- کد ملی:

Date of Report : April 05 , 2021

9:00 a.m

-- متولد:

Specimen type:

Nasopharyngeal/oropharyngeal swab

Requested test:

Real-time Reverse Transcription–Polymerase Chain Reaction (Real-time RT–PCR) for detection of SARS-CoV-2 RNA

Result:

SARS-CoV-2 RNA was not detected (Negative)

Note and comment:


The assay targets regions of the virus nucleocapsid gene (N Gene) or Envelope small membrane protein gene (E Gene) and finally RNA dependent RNA polymerase gene (RdRp Gene) or Open reading frame 1b gene (ORF1b Gene) for confirmation.

II Positive results indicative of the presence of SARS-CoV-2 RNA; clinical correlation with patient history and other diagnostic information is necessary to determine patient infection status.

II Negative results do not preclude SARS-CoV-2 infection and should not be used as the sole basis for treatment or other patient management decisions. Negative results must be combined with clinical observations, patient history, and epidemiological information.

Laboratory Directors:

Dr. Mazyar Ziyaeyan,



Associate Professor of Medical Virology (PhD)

Dr. Shohreh Farshad,

Dr. Mazyar Ziyaeyan
Medical Virologist (PhD)
IRMC Number L-2083
Lab Director
Pars Medical Microbiology Laboratory

Professor of Medical Microbiology (PhD)

Note: This paper is not valid without embossed stamp.

