

# Test Status Report

<b>Registration Id</b>	: 1510270007	<b>Registration Date</b>	: 29-Apr-2021
<b>Patient Name</b>	: Ms. Henna Piyush Patani	<b>Collection Date</b>	: 29-Apr-2021
<b>Referred By</b>	: Self	<b>Reporting Date</b>	: 29-Apr-2021
		<b>Age /Sex</b>	: 29 Years /Female

## List of Pending Tests

### Test Name

No tests Pending

## Tests Out of Range Summary Details



<b>Registration Id</b> : 1510270007	<b>Registration Date</b> : 29/04/2021 / 08:02 AM
<b>Patient Name</b> : Ms. Henna Piyush Patani	<b>Collection Date</b> : 29/04/2021 / 08:04 AM
<b>Referred By</b> : Self	<b>Reporting Date</b> : 29/04/2021 / 01:18PM
	<b>Age /Sex</b> : 29 Years / Female

### SARS-CoV-2 (COVID-19) QUALITATIVE, PCR

ICMR Registration No. NMMMMH

<u>TEST</u>	<u>OBSERVED VALUE</u>	<u>Reference Range</u>
SPECIMEN INFORMATION	: Nasopharyngeal and Oropharyngeal Swab in VTM	
METHODOLOGY	: Real Time PCR	
TARGET (S)	: ORF1ab and N gene (ct cut-off <-35)	

#### RESULTS

SARS-CoV-2 Detection : Negative

#### NOTE

Patient management should be done strictly on the basis of clinical condition of the patient as per ICMR / Local health department guidelines. As per the ICMR circular dated 05/08/2020 it is not recommended to rely on numerical Ct values for determining infectiousness of COVID-19 patients and deciding patient management protocols.

- The SARS-CoV-2 detection is a real-time PCR technology based test, for the qualitative detection and differentiation of lineage B-betacoronavirus (βCoV) and severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) specific RNA.

- The result relates only to the specimen received in the lab.

- Results may be affected if:

The specimen was collected late or very early in the infection. The specimen was not handled and shipped appropriately

- RT PCR kits used are recommended by ICMR for government and private laboratories.

Sample processed at ICMR approved lab: NM Medical, Harchandrai House, 2nd floor, Maharshi Karve Road, Marine Lines (E), Mumbai - 400002

FARHEEN A  
Verified By



Dr. Anand B Patel  
Ph.D  
Molecular Biologist



Dr. Bhalchandra Ramkrishna  
M.D. (Microbiology)

NOTE : This is Electronically generated report. Signature is not required.



<b>Registration Id</b> : 1510270007	<b>Registration Date</b> : 29/04/2021 / 08:02 AM
<b>Patient Name</b> : Ms. Henna Piyush Patani	<b>Collection Date</b> : 29/04/2021 / 08:04 AM
<b>Referred By</b> : Self	<b>Reporting Date</b> : 29/04/2021 / 01:18PM
	<b>Age /Sex</b> : 29 Years / Female

- The test result should be used in conjunction with clinical presentation.
- All the positive cases will be notified to ICMR for further surveillance.
- Kindly consult referring Physician / Authorized Govt. hospital for appropriate follow-up.

**Limitations of Assay:**

- PCR is a highly sensitive technique and common reasons for paradoxical results are contamination during specimen collection, selection of inappropriate specimen, and inherent PCR inhibitors in the sample or use of different technologies.
- A repeat specimen may be considered after a gap of 2-4 days after the collection of first specimen for additional testing if required (other respiratory pathogens). Optimum specimen types and timing of peak viral levels during infections caused by 2019-nCoV have not been determined. Collection of multiple specimens (Types & Time points) may be necessary in view of suspected clinical history.
- A Negative result does not rule out the possibility of SARS-CoV-2 (COVID-19) virus infection. Presence of inhibitors, mutations & insufficient organism RNA can influence the result.

\*\* END OF REPORT \*\*

Sample processed at ICMR approved lab: NM Medical, Harchandrai House, 2nd floor, Maharshi Karve Road, Marine Lines (E), Mumbai - 400002

FARHEEN A  
Verified By



Dr. Anand B Patel  
Ph.D  
Molecular Biologist



Dr. Bhalchandra Ramkrishna  
M.D. (Microbiology)

**NOTE : This is Electronically generated report. Signature is not required.**